




Adjustable tray for spas TRAY-GREY-CBX



INSTALLATION



STEP 1: Open the cross-brace pads by spinning the knob counterclockwise until the distance between the two pads is wide enough to fit over your spa wall. [minimum 2" (5cm) to maximum 7" (17cm).]



STEP 2: Rest the cross-brace across the top of the spa wall and tighten the knob clockwise until "hand-tight". DO NOT OVERTIGHTEN.



STEP 3: Position the tray clips over the top of the cross-brace and "snap" the tray into place.

CAUTION: TURN THE TIGHTENING KNOB NO MORE THAN TWO (2) ROTATIONS WHEN INSTALLING. PRODUCT DAMAGE OR FAILURE DUE TO OVERTIGHTENING IS NOT REFUNDABLE! DO NOT OVERTIGHTEN!

REMOVAL INSTRUCTIONS:

STEP 1: Loosen the knob counterclockwise and remove the cross-brace with tray still attached.

STEP 2: For convenient storage remove the cross-brace from the tray clips if desired.



Plateau ajustable pour spas TRAY-GREY-CBX



Par : Champlain Plastics Inc.
87 Pillsbury Road, Rouses Point, NY 12979
www.champlainplastics.com

INS-TRAY-GREY-CBX
09-2025

INSTALLATION



ÉTAPE 1 : Ouvrez les coussins du croisillon en tournant le bouton dans le sens inverse des aiguilles d'une montre jusqu'à ce que la distance entre les deux coussins soit suffisante pour s'adapter à la paroi de votre spa [minimum 5 cm à maximum 17 cm].



ÉTAPE 2 : Placez le croisillon sur le haut de la paroi du spa et serrez le bouton dans le sens des aiguilles d'une montre jusqu'à ce qu'il soit "serré à la main". NE PAS TROP SERRER.



ÉTAPE 3 : Positionnez les clips du plateau sur le haut de l'entretoise transversale et « enclenchez » le plateau en place.

ATTENTION : TOURNER LE BOUTON DE SERRAGE DE DEUX (2) TOURS AU MAXIMUM LORS DE L'INSTALLATION. LES DOMMAGES OU DÉFAILLANCES DU PRODUIT DUS À UN SERRAGE EXCESSIF NE SONT PAS REMBOURSABLES ! NE PAS TROP SERRER !

INSTRUCTIONS D'ENLÈVEMENT :

ÉTAPE 1 : Desserrez le bouton dans le sens inverse des aiguilles d'une montre et retirez le croisillon avec le plateau encore attaché.

ÉTAPE 2 : Pour faciliter le stockage, retirez le croisillon des clips du plateau si vous le souhaitez.